

 **TOYOTA HILUX**
oh what a *feeling!*

HiLux 4x4.
Action Utility Vehicle.





4x4 Xtra Cab SR5 model shown

Power and presence.

The Toyota HiLux is bigger, better and stronger than ever before. It's the versatile ute that is an Action Utility Vehicle (AUV). It's unbreakable workhorse meets off-road action lifestyle! Boasting impressive power across the range, inspiring performance and handling, comfort, and fabled HiLux reliability and dependability, it's got the performance you want and the toughness you've come to expect.

Work safe in HiLux.

HiLux is thankfully big on safety as well. It has been designed for outstanding crash performance to the toughest Australian and European standards. You'll breathe easier with dual SRS airbags, pretensioning seatbelts and optional ABS brakes. The HiLux also has an energy absorbing front body/chassis structure and a strong Safe-T-Cell, to help keep the cabin intact during a collision. It's just another way that HiLux will further strengthen its 'unbreakable' reputation.

THE WORLD'S FIRST
AUV
ACTION UTILITY VEHICLE

Front cover: 4x4 Double Cab SR5 model shown

TECHNICAL SPECIFICATION HILUX 4x4	SINGLE CAB		XTRA CAB			DOUBLE CAB				
	SR		SR	SR5		SR	SR		SR5	
	Cab Chassis		Cab Chassis	Pickup		Cab Chassis	Pickup		Pickup	
	Petrol	Turbo Diesel	Turbo Diesel	Petrol	Turbo Diesel	Turbo Diesel	Petrol	Turbo Diesel	Petrol	Turbo Diesel
MECHANICALS									A/T	M/T
4.0L V6 Twin Cam VVT-i Petrol engine	S	–	–	S	–	–	S	–	S	–
3.0L EDI Twin Cam Turbo Diesel engine	–	S	S	–	S	S	–	S	–	S
5 Speed Manual Transmission	S	S	S	S	S	S	S	S	S	S
4 Speed Auto Transmission	–	0	–	–	–	–	–	0	–	0
5 Speed Auto Transmission with AI Shift Control	0	–	–	–	–	–	0	–	0	–
DIMENSIONS (*1)										
Overall Length (mm)	4975		4975		5255	4975		5130		5255
Overall Width (mm)	1760		1760		1835			1760		1835
Overall Height (mm)	1795				1795					1810
Wheelbase (mm)	3085				3085					3085
Track – Front / Rear (mm)	1510		1510		1540			1510		1540
Ground Clearance (mm)	217				215					210
Overhang – Front	885				885					885
Overhang – Rear	1005		1005		1160	1005		1160	1285	1160
Angle of approach	30°				30°					30°
Angle of Departure	26°		26°		23°			26°		23°
Tray Length (mm)	–		–		1805	–		–		1520
Tray Width (mm)	–		–		1515	–		–		1515
Tray Height (mm)	–		–		450	–		–		450
VEHICLE WEIGHTS & CAPACITIES										
Kerb Weight – Manual (kg) (*2)	1640 ~ 1690	1725 ~ 1775	1750 ~ 1795	1680 ~ 1715	1760 ~ 1800	1810 ~ 1850	1735 ~ 1775	1815 ~ 1860	1730 ~ 1775	1815 ~ 1865
Kerb Weight – Automatic (kg) (*2)	1670 ~ 1715	1750 ~ 1800	–	–	–	–	1755 ~ 1800	1840 ~ 1880	1760 ~ 1805	1835 ~ 1880
Gross Vehicle Mass (kg)	2750	2810	2710	2730	2710	2780	2810	2780	2810	2780
Max. front axle capacity (kg)	1300		1300			1300				
Max. rear axle capacity (kg)	1600		1520			1600				
Gross Combined Mass (kg) (*3)	4750	4600	4600	4750	4600	4600	4750	4600	4750	4600
Towing capacity – with trailer brakes (kg) (*4)						2250				
Towing capacity – without trailer brakes (kg) (*4)						750				
Seating capacity – including driver – Manual trans	3	3	4	4	4	5	5	5	5	5
Seating capacity – including driver – Auto trans	2	2	–	–	–	–	5	–	5	5
Fuel tank capacity (litres)	76									
STEERING										
Type	Power Assisted Rack and Pinion									
Turning Circle	12.2									
BRAKES										
System	Vacuum boosted hydraulic system									
Front	Ventilated disc brakes									
Rear	Self adjusting drum									
Anti-Skid Brakes	Option		Standard			Option		Standard		
SUSPENSION										
Type	Front	Double wishbone type with coil springs, gas filled shock absorbers and stabiliser bar								
	Rear	Leaf spring type rigid axle with gas filled shock absorbers								
WHEELS										
Tyres	205R16C		255/70R15C			205R16C		255/70R15C		
Wheels	6.0Jx16 steel		7.0Jx15 alloy (4)†			6.0Jx16 steel		7.0Jx15 alloy (4)†		
ENGINE										
	V6 PETROL					TURBO DIESEL				
Name	1GR-FE					1KD-FTV				
Type	V6 DOHC with 4 valves per cylinder with variable valve intake timing (VVT-i)					4 Cylinder in-line DOHC with 4 valves per cylinder, intercooler and electronic direct injection				
Fuel System	Electronic Fuel Injection					Electronic Direct Injection, Common Rail				
Fuel Type	Unleaded Petrol (*12)					Diesel				
Displacement (cc)	3956					2982				
Bore and Stroke (mm)	94.0 x 95.0					96.0 x 103.0				
Compression Ratio	10.0:1					179:1				
Max. Power (kW/rpm) (*5)	175/5200					126 / 3600				
Max. Torque (Nm/rpm) (*5)	376 / 3800 (auto) 343 / 2400-4800 (manual)					343 / 1400-3400				
DRIVETRAIN										
	5 Speed Manual		5 Speed Automatic			5 Speed Manual		4 Speed Automatic		
Gear Ratios	1st gear	3.830	3.520		4.313		2.804			
	2nd gear	2.062	2.042		2.330		1.531			
	3rd gear	1.436	1.400		1.436		1.000			
	4th gear	1.000	1.000		1.000		0.705			
	5th gear	0.838	0.716		0.838		–			
	Reverse gear	4.220	3.224		4.220		2.393			
Differential ratio – Front / Rear	3.583 / 3.583					3.727 / 3.727				
Transfer Gear Ratio – H4 / L4	1.000 / 2.566									
FUEL ECONOMY (*6)										
	V6 PETROL					TURBO DIESEL				
	Single Cab	Extra Cab	Double Cab	Single Cab	Extra Cab	Double Cab	Single Cab	Extra Cab	Double Cab	
	Cab Chassis	Pickup	Pickup	Cab Chassis	Cab Chassis	Pickup	Cab Chassis	Pickup		
ADR 81/01 Combined (L/100km)	Manual	13.3	13.1	13.1	8.2	8.3	8.3	8.3	8.3	8.3
	Automatic	13.0	–	13.0	9.3	–	–	–	–	9.3

† Spare steel wheel

IMPORTANT NOTICE - PLEASE READ

IMPORTANT NOTICE - PLEASE READ: You MUST check with your Toyota dealer when you place your order to ensure the vehicle you want is available. Toyota Australia has used every reasonable endeavour to ensure this brochure is correct at the time of publication. However, because the availability of vehicles with certain specifications, equipment and colours may vary from time to time you should not rely on this brochure but should contact your authorised Toyota Dealer to confirm that the information in this brochure is up to date. When ordering a vehicle, you should check with your Toyota Dealer to ensure that your chosen vehicle specifications, equipment and colour are available and that the desired vehicle can be delivered in a time frame which is suitable to you. Toyota Australia may alter any details contained in this brochure at any time, and to the extent allowed by law Toyota Australia will not be liable for any reliance you place upon this brochure. *All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year (unlimited kilometres). Conditions apply. All warranties are additional to the implied warranties under the Trade Practices Act 1974. Distributed nationally by Toyota Motor Corporation Australia Limited. ABN 64-009 686 097. Cnr Gannons Rd & Captain Cook Drive Carlingbah, NSW 2229. HILUX4WD1007SV. Printed OCTOBER 2007.

FEATURES	SINGLE CAB			DOUBLE CAB	
	SR	SR	SR5	SR	SR5
EXTERIOR					
Body Colour front bumper	S	S	S	S	S
Chrome step type rear bumper	-	-	S	-	S
Body Colour radiator grille	-	-	S	-	S
Multi-reflector headlights	S	S	S	S	S
Front fog lamps	-	-	S	-	S
Laminated windscreen	S	S	S	S	S
Tinted side windows	S	S	S	S	S
16" Steel wheels with centre ornaments	S	S	-	S	-
15" Alloy wheels (4)	-	-	S	-	S
Spare steel wheel	S	S	S	S	S
Deck guard frame with stopper	-	-	-	Pickup	-
Alloy Sports bar	-	-	S	-	S
Side Steps	S	S	S	S	S
Chrome door handles & mirrors	-	-	S	-	S
Front only mudflaps	S	S	-	C/C	-
Front & Rear mudflaps	-	-	S	Pickup	S
Bonnet Scoop (*7)	S	S	S	S	S
Metallic paint	0	0	0	0	0
Touch-up paint	S	S	S	S	S
INTERIOR					
Cloth facing seat trim	S	S	-	S	-
Full cloth seat trim	-	-	S	-	S
Moulded front door trims with cloth inserts	S	S	S	S	S
Durable vinyl floor covering	S	S (*13)	-	S	-
Floor carpet	-	-	S	-	S
Seating					
Driver's bucket seat	S	S	S	S	S
Front bench passenger seat	S (*10)	-	-	-	-
Front passenger bucket seat	S (*9)	S	S	S	S
2 person capacity rear jump seat	-	S	S	-	-
3 person capacity rear seat with headrests	-	-	-	S	S
FEATURES					
Air conditioning - single type	0	0	S	0	S
Rotary type heater controls	S	S	S	S	S
Power front windows	S	S	S	-	-
Power front and rear windows	-	-	-	S	S
Driver's auto down window	S	S	S	S	S
Instruments and controls					
Power steering	S	S	S	S	S
Tilt adjustable steering column	S	S	S	S	S
Cruise Control (*9)	S (*13)	S (*13)	-	S (*13)	S
Optitron combination meter	-	-	S	-	S
Multi Information Display including trip computer	-	-	S	-	S
Power mirrors	S (*13)	S (*13)	S	S (*13)	S
Day/night interior mirror	S	S	S	S	S
Power accessory socket	-	-	S	-	S
Variable intermittent windscreen wipers	S	S	S	S	S
Rear window demister	-	S	S	S	S
Automatic transmission indicator in dash	-	-	-	-	S (*9)
Automatic transmission shift interlock	S (*9)	-	-	S (*9)	S (*9)
Headlights on - audible warning	S	S	S	S	S
Trip meter	S	S	S	S	S
Low fuel warning light	S	S	S	S	S
Digital clock in dashboard	S	S	S	S	S
Lighting					
Door operated dome lamp	S	S	S	S	S
Illuminated ignition switch	S	S	S	S	S
Front personal lamp	-	-	S	-	S
Storage					
Glovebox	S	S	S	S	S
Front Cupholder/s - in dash	S	S	S	S	S
Front Cupholder/s - in centre console	S (*9)	S	S	S	S
Rear Cupholders - in centre console	-	-	-	-	-
Drink/bottle holders - in front doors	S	S	S	S	S
Drink/bottle holders - in rear doors	-	-	-	S	S
Front door pockets	S	S	S	S	S
Centre dashboard storage	S	S	S	S	S
Centre console box with lid	S (*9)	S	S	S	S
Front ashtray and cigarette lighter	S	S	S	S	S
Audio					
AM/FM radio with MP3 compatible single disc CD player	S	S	-	S	-
AM/FM radio with MP3 compatible 6 disc in-dash CD changer	-	-	S	-	S
Audio input compatible with iPod® or other portable MP3 players	S	S	S	S	S
Bluetooth™ hands-free telephone capability	-	-	S	-	S
Number of speakers	2	2	4	2	4
Manual antenna in A-Pillar	S	S	S	S	S
Security coded radio	S	S	S	S	S

FEATURES	SINGLE CAB			DOUBLE CAB	
	SR	SR	SR5	SR	SR5
SAFETY					
Anti-Skid Brakes	0	0	S	0	S
Driver and front passenger SRS airbags	S	S	S	S	S
Driver's seatbelt warning lamp	S	S	S	S	S
Driver's pre-tensioner seatbelt	S	S	S	S	S
Front passenger pre-tensioner seatbelt (*11)	S	S	S	S	S
Front centre seat lap seatbelt	S (*10)	-	-	-	-
Lap/sash seatbelts for rear outer seating positions	-	S	S	S	S
Lap type seat belt for rear centre seat position	-	-	-	S	S
Door ajar warning light	S	S	S	S	S
High mount centre rear stop lamp	-	-	S	Pickup	S
Front door anti-intrusion beams	S	S	S	S	S
Collapsible steering column	S	S	S	S	S
SECURITY					
Engine immobiliser	S	S	S	S	S
Power door locks	S	S	S	S	S
Remote keyless entry	S	S	S	S	S
Lockable Glovebox	S	S	S	S	S
Remote fuel door release	-	-	S	Pickup	S
Fuel cap holder tether	-	-	S	Pickup	S
Locking fuel cap	S	S	-	C/C	-
ACCESSORIES - Dealer fit, available at extra cost					
Towbar with & without Rear Step 2250 kg (braked)	D/F	D/F	D/F	D/F	D/F
Towbar 1200 kg (braked)	D/F	D/F	-	D/F	-
Breaker Steel Bull Bar (pickup only)	-	-	-	-	-
- Superwinch & Airbag compatible	D/F	D/F	D/F	D/F	D/F
Forge Alloy Bull Bar - Airbag compatible	D/F	D/F	D/F	D/F	D/F
Alloy Nudge Bar - Airbag compatible	D/F	D/F	D/F	D/F	D/F
Superwinch (for fitment to Steel Bull Bar)	D/F	D/F	D/F	D/F	D/F
Driving Lights (for fitment to Bull Bars)	D/F	D/F	D/F	D/F	D/F
Traybodies - Alloy and Steel, wide range of options	D/F*	D/F*	D/F	D/F	D/F
Hard Tonneau Cover - colour matched - Pickup Only	-	-	D/F	-	D/F
Soft Tonneau Cover - Pickup Only	-	-	D/F	D/F	D/F
Roof Racks - 2 bar set	-	-	-	D/F	D/F
Bonnet Protector, Headlight Covers and Weathershields	D/F	D/F	D/F	D/F	D/F
Fabric Seat Covers	D/F	D/F	D/F	D/F	D/F
Canvas Seat Covers	D/F	D/F	-	D/F	-
High and Low Roof Canopy - Pickup Only	-	-	-	D/F	D/F
Ute Liner - Pickup Only	-	-	-	D/F	D/F
All Weather Rubber Floor Mats	D/F	D/F	D/F	D/F	D/F
All Weather Rubber Ute Mat - Pickup Only	-	-	D/F	D/F	D/F
6 Disc in-dash MP3 Compatible CD Changer and radio with Bluetooth™ Communications and Audio Input	D/F	D/F	S	D/F	S
Satellite Navigation** Audio System including 4 Disc in-dash MP3 compatible CD Changer with Bluetooth™ Communications	D/F	D/F	D/F	D/F	D/F

Key

S = Standard, - = Not available, 0 = Option, available at extra cost, O/P = Option pack, available at extra cost.

D/F = Dealer fit option, available at extra cost, Pickup = Standard on Pickup models,

C/C = Standard on Cab Chassis models.

Note: Options may only be available in combination with others, please see your dealer for details.

Options - Available at extra cost

*1 = Some figures are approximate and may vary due to options and accessory fitment.

*2 = Kerb weights are nominal and will vary depending on options and accessories.

*3 = Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel & cargo.

*4 = Towing capacities are subject to state regulations and towbar design.

*5 = Power and torque test standards differ. Ensure comparisons use same test standard.

V6 engine based on 95+ RON.

*6 = Fuel economy varies with driving conditions and style, vehicle condition, options and accessories.

*7 = Turbo Diesel engine only.

*8 = 4.0 litre V6 Petrol Engine only.

*9 = Automatic transmission model only.

*10 = Manual transmission model only.

*11 = Not fitted to front centre lap seatbelt.

*12 = RON 91 or higher. For improved vehicle performance, the use of premium unleaded petrol with a RON of 95 or higher is recommended.

*13 = Available from August 2007 Production.

† = Bluetooth™ will only operate with telephones enabled with compatible Bluetooth™ wireless technology (HFP [Hands Free Profile] v1.0).

^ = Available from January 2007 Production.

** = Current Satellite Navigation Audio Systems cover major capital and primary national road networks, as well as offering some coverage of regional areas.



SR5 Model shown

The HiLux Range.

SR

This is the worker you can take anywhere. 4WD, so it's right for the farm or city worksites and equipped for both. This HiLux is available in an automatic turbo diesel, so you get low down grunt with sensible running costs. It's also great to live with, thanks to the added creature comforts. So whether you're checking fire trails or searching for the best wave breaks, SR will take you there and back.


SR5

This HiLux takes everything to the max. With its proven 4WD capabilities it can negotiate boggy worksites or snow-clad tracks to the ski fields with ease. You'll enjoy maximum comfort whether you choose the Double Cab or Xtra Cab to make long journeys easy going. Plus it dresses up for work, with chrome mirrors, body-coloured overfender flares, chrome door handles and an alloy sports bar. HiLux SR5 is the best looking HiLux ever.

Colour guide.



Glacier White
(040)



Sterling Silver*
(1C0)



Ink*
(209)



Velocity Red^
(3E5)



Dusty Grey*
(4P9)



Charcoal Grey*
(1E9)



Green Aspen*
(6S3)



Cascade Blue*
(8P4)

Note: variations between the colours shown and actual paint colours may occur due to the printing process. Actual vehicle colours may appear different under certain light conditions. Model shown for illustrative purposes only. Other models may have different specifications, please refer to your dealer for details, including interior trim colour. *Indicates mica, metallic or pearlescent paint which is available at extra cost. ^Available from August 2007 Production.



Get it on and go your own way.

4x4 Double Cab SR5 Utility shown is accessorised with Forge Alloy Bull Bar, Hard Tonneau Cover, Ute Liner, Towbar, Towball and Trailer Wiring Harness, Headlamp Covers, Bonnet Protector, Weathershields, Fabric Seat Covers and All Weather Rubber Floor Mats.

THESE ARE JUST SOME OF THE ACCESSORIES AVAILABLE FOR YOUR HILUX. FOR A COMPLETE LIST AND FURTHER DETAILS, PLEASE SEE YOUR TOYOTA DEALER OR REFER TO OUR WEBSITE.



ALLOY TRAY BODY WITH OPTIONAL REAR RACK AND ALLOY WINDOW PROTECTOR FITTED



CANOPY (HIGH ROOF)



UTE LINER AND TAILGATE LINER



TOWBAR WITH REAR STEP (2250kg Braked) TOWBALL AND TRAILER WIRING HARNESS (SOLD SEPARATELY)



CANVAS SEAT COVERS



ALLOY NUDGE BAR – AIRBAG COMPATIBLE



SUPERWINCH (9000lb CAPACITY)



AUDIO CABLE AND CAR CHARGER FOR IPOD®#



HARD TONNEAU COVER



SOFT TONNEAU COVER



6 DISC IN-DASH MP3 COMPATIBLE CD CHANGER AND RADIO WITH BLUETOOTH™ HANDSFREE COMMUNICATIONS AND AUDIO INPUT



SATELLITE NAVIGATION™ AUDIO SYSTEM INCLUDING 4 DISC IN-DASH MP3 COMPATIBLE CD CHANGER WITH BLUETOOTH™ COMMUNICATIONS



4X4 FORGE ALLOY BULL BAR – WITH OPTIONAL DRIVING LIGHTS (SOLD SEPARATELY)



ALL WEATHER RUBBER FLOOR MATS FRONT AND REAR AVAILABLE (SOLD SEPARATELY)

TOYOTA GENUINE ACCESSORIES ARE COVERED BY OUR TOYOTA WARRANTY*

Some Toyota Genuine Accessories are not applicable to all HiLux models. See your Toyota Dealer for advice regarding Toyota Genuine Accessories. Pictured Accessories are all sold separately. For a comprehensive guide on the entire range of Toyota Genuine Accessories, visit our website at accessories.toyota.com.au *All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year (unlimited kilometres). Conditions apply. All warranties are additional to the implied warranties under the Trade Practices Act 1974. † Bluetooth™ will only operate with telephones enabled with compatible Bluetooth™ wireless technology (HFP [Hands Free Profile] version 1.0).

^^ Current Satellite Navigation Audio Systems cover major capital and primary national road networks, as well as offering some coverage of regional areas.

Suits iPod® models that have a dock connector. This accessory is not a Toyota Genuine Accessory (supplier branded) and is warranted for 12 months from the date of purchase.